



#3

3538.Palm

**USER INTERFACE TECHNIQUE FOR SELECTION AND ACTIVATION OF  
WIRELESS SERVICES FROM AMONG MULTIPLE TRANSPORT CARRIERS**

5

Inventors:

Craig Skinner

William Shu-woon Wong

Brian G. Kuhn

10

COPYRIGHT NOTICE

A portion of the disclosure of this patent document contains material which is subject to copyright protection. The copyright owner has no objection to the facsimile reproduction by anyone of the patent document or the patent disclosure, as it appears in the Patent and Trademark Office patent file or records, but otherwise reserves all copyright rights whatsoever.

CROSS REFERENCE TO RELATED APPLICATION

This application is related to U.S. Patent Application Serial Number \_\_\_\_/\_\_\_\_,\_\_\_\_ filed on the same date as the present application entitled "GENERIC ACTIVATION AND REGISTRATION FRAMEWORK FOR WIRELESS DEVICES," by inventor Brian G. Kuhn, the entire disclosure of which is hereby incorporated by reference as if fully set forth herein.

BACKGROUND OF THE INVENTION

35 Field of the Invention

The present invention generally relates to wireless networks and, more particularly, to wireless network activation with carriers.



The front panel of the Palm™ 10 is a large liquid crystal display ("LCD"). 11, which is touch-sensitive and allows a user to enter and manipulate data. By using a stylus (not shown) to interact with the touch-sensitive screen, a user may easily  
5 navigate through a host of various software applications. A stylus is used to interact with information on a screen in much the same way a mouse is used with a desktop personal computer. The display device also includes a Graffiti™ writing section 12 for tracing alphanumeric characters as input.

Regarding wireless connectivity, a given wireless network typically has many different carriers for the same network type. For example, Bell South™ and Rogers AT&T™ are wireless carriers that both run Mobitex™ networks. Further, many wireless computers are manufactured to be compatible with a particular network type and/or carrier.

Unfortunately, problems arise when a consumer, manufacturer, or carrier later desires the computer to be compatible with another network or another carrier. Integrated within the computer's architecture, may be an operating system that allows a  
20 user to connect with a specific carrier or transport mechanism. For example, applications that allow connectivity with a specific carrier, such as BellSouth™, may be written to a read-only memory (ROM) of the PDA. Such a framework makes it difficult to later make the PDA compatible with another carrier or with another type  
25 of network.

The PDA that is compatible with only BellSouth™ can not be taken to Europe to be compatible with a French carrier, much less a wireless network in France. Thus, the manufacturer that builds the PDA that is compatible with BellSouth™ will have to build a  
5 different PDA to be compatible with a French carrier, and another device for Australia, and another for Japan, etc.

10 While a PDA may be manufactured for a regional carrier, wireless networks naturally provide users with extended computing capabilities and mobility. Users are able to move about, carrying their computers with them and maintaining uninterrupted communication with their servers. Wireless networks should be  
15 able to allow users to turn on their computers almost anywhere in the world, to establish access to their home servers, and to retrieve their files and email. Such mobility, however, is difficult with commonly available wireless technology.

Consequently, the implementation of wireless networks presents new problems. Unfortunately, classical communication theory and wired network models does not efficiently solve these new problems.

## SUMMARY OF THE INVENTION

It has been recognized that what is needed is a framework for providing broader compatibility with wireless networks. Broadly speaking, the present invention fills these needs by providing a method and device for handling network activation between a computer and a carrier. It should be appreciated that the present invention can be implemented in numerous ways, including as a process, an apparatus, a system, a device or a method. Several inventive embodiments of the present invention are described below.

In one embodiment, a method is provided for handling network activation between a computer and a carrier. The method includes the following: receiving a command to initiate network activation procedures; determining a network activation status of the computer; sending a request to a device having network activation information; receiving the network activation information from the device; and configuring the computer with the network activation information in order to establish network activation with the carrier.

In another embodiment, a plug-in device is provided. The plug-in device is configured to be operable in a generic activation framework. The plug-in device includes an application program interface (API) tailored to a particular carrier, wherein

the API is configured to receive a network activation command from a generic driver device in a computer.

Advantageously, the present invention provides a generic framework for network activation. The generic framework can be configured to be compatible with multiple carriers for any language. The generic framework can also be used for multiple wireless network types. No longer does a personal computer have to be manufactured to be compatible with individual carriers or specific networks. Easily installable plug-in devices can be tailored to each carrier or network type. Accordingly, carriers can readily make themselves compatible with a given personal computer without having to change the personal computer's ROM to fit the particular carrier or network type. Thus, a generalized infrastructure is put in place to bring new carriers and personal computers online substantially quicker.

The invention encompasses other embodiments of a method, an apparatus, and a computer-readable medium, which are configured as set forth above and with other features and alternatives.

## **BRIEF DESCRIPTION OF THE DRAWINGS**

The present invention will be readily understood by the following detailed description in conjunction with the accompanying drawings. To facilitate this description, like  
5 reference numerals designate like structural elements.

FIG. 1 shows a basic configuration of a popular PDA brand, the Palm™.

FIG. 2 is a block diagram of selected components of a computer that includes wireless network technology, in accordance with one embodiment of the present invention.

FIG. 3 is a block diagram of the architecture for the generic activation and registration framework (GARF), in accordance with one embodiment of the present invention.

FIG. 4 shows a flowchart for a method of handling network activation between a computer and a carrier, in accordance with one embodiment of the present invention.

## DESCRIPTION OF THE PREFERRED EMBODIMENTS

An invention for a method and device for handling network activation between a computer and a carrier is disclosed. Numerous specific details are set forth in order to provide a thorough understanding of the present invention. It will be understood, however, to one skilled in the art, that the present invention may be practiced without some or all of these specific details.

### General Overview

FIG. 2 is a block diagram of selected components of a computer 100 that includes wireless network technology, in accordance with one embodiment of the present invention. The computer 100 includes a processing device 110, for executing applications and an operating system of the computer 100, a memory device 120 for storing the operating system, data, and applications (including plug-in executable files).

A display screen 130 is provided (preferably a touch sensitive screen) for display of operating system prompts, buttons, icons, application screens, and other data, and for providing user inputs via tapping or touching (or drawing in the Graffiti™ area) via a stylus or other touch mechanism. Hardware interface 135 connects to physical hard buttons and switches



located on a body of the computer 100 and provides signals to applications running on the processing unit 110.

A bus 155 carries data and commands to/from the processing unit 110 from/to other devices within the computer 100. For example, user applications running on the computer 100 may be stored in the memory device 120. The user applications send application screens and other data outputs to display screen 130 for display via the bus 155. User inputs (Graffiti™ area drawing, or tap selection, for example) are detected by the screen 130 and sent to the processing unit 110 via the bus 155.

A mobile radio device 140 (part of the wireless technology, in the computer 100) provides connectivity to a wireless network (not shown). The mobile radio device 140 is configured to detect inbound network transactions from the network directed toward the mobile radio device 140. For example, the inbound network transaction may be a page notification that is sent to a pager device executing on the processing unit 110.

In the embodiment of FIG. 2, the computer 100 is illustrated as a personal digital assistant (PDA). A PDA is a handheld computer such as a Palm™, Palm III™, or Palm V™, or Palm VII™ organizers, manufactured by Palm, Inc. Other embodiments of the invention can include Windows CE™ and Visor™ handheld computers, other handheld computers, other personal digital assistants (PDAs), desktop computers, laptop computers, workstations, or mainframes.

The Palm™ and its operating environment are used herein to illustrate various aspects of the present invention. However, it should be understood that the present invention may be practiced on other devices, including other Palm™ models, PDA's, computer devices, personal computers, notebooks, etc.

General Overview Of Generic Activation  
And Registration Framework

FIG. 3 is a block diagram of the architecture for the generic activation and registration framework (GARF) 200, in accordance with one embodiment of the present invention. The GARF is a system for providing network activation and registration in a network that may have multiple carriers and/or service providers.

The GARF 200 provides a driver device 202 that generally controls network activation and registration procedures for the computer 100. Networking applications that may be tailored for a specific carrier or service provider are not included in the driver device. Rather, a plug-in device 204 (or multiple plug-in devices) may be installed in the computer 100. A plug-in device 204 includes hardware and/or software specifically tailored for a particular carrier and service provider. Through a given plug-in device 204, the computer 100 can communicate with a carrier and service provider that is intended for that plug-in device 204.

For example, a driver device 202 may communicate with a provider's web server 206 with assistance from the plug-in device 204. Additionally, the provider's web server 206 can send a registration file 208 to the driver device 202, which can then launch the registration file 208 in the computer 100. The registration file 208 is an executable file configured to allow the computer 100 to be compatible with a particular carrier and/or service provider.

The GARF 200 allows manufacturers to build a computer 100 for operation in wireless networks of any verbal language. For example, a generic driver device 202 may be built that is nonspecific to any particular verbal language. The plug-in device 204, on the other hand, may then be configured to be language specific. If France, for instance, has three different service providers that operate the same way in the French language, the GARF 200 allows one computer 100 to communicate with all three service providers. In another embodiment, the plug-in device 204 is generically built such that the computer 100 is generically operable in any wireless network of any verbal language.

#### Overview of Driver Device

The driver device 202 is hardware, software, or combination thereof, that is configured to manage procedures of the GARF 200.

In one embodiment, the driver device 202 includes an icon on the display screen 130 for a user to select. Selection of the icon launches GARF 200 procedures, including activating a wireless network with a carrier and handling user registration with a service provider. BellSouth™, used with Palm VII™, is an example of a carrier. Palm.Net™, used with Palm VII™, is an example of a service provider. Palm.Net™ currently resells BellSouth™ services for use with Palm VII™.

In one embodiment, the driver device 202 is an executable application that a user will launch upon their first interaction with a wireless capable computer 100. The driver device 202 will drive the configuration of the computer 100 to obtain wireless connectivity, as well as perform the tasks required to obtain an account and/or identity with a particular carrier and/or service provider. In one example, the driver device 202 may be launched by applications such as Clipper™ (used in the Palm™ operating system) when wireless connectivity has not yet been established for the computer 100.

A feature of the GARF 200 is the ability for a user to step through a number of screens in order to provide personal data to a wireless service provider, such as Palm.Net™. This setup process involves a number of steps, including retrieving the appropriate screen(s), entering user information, submitting the

information to the driver device, writing the personal data in memory, and submitting the data to the service provider.

The driver device 202 is responsible for maintaining the system features (via the plug-in device 204). As an example, the Palm™ operating system requires certain system maintenance to ensure successful network transactions with the carrier and service provider. The driver device 202 accomplishes its tasks by launching a plug-in device 204 to activate the network on the device (and to display location/carrier-specific user interfaces and error messages). The driver device 202 can also call upon a registration file 208, which in turn may be configured to execute, registration procedures on the computer 100. The driver device 202 exposes and calls upon application program interfaces (API's) in both the plug-in device and the registration file 208.

The driver device 202 is not tailored to a specific carrier and/or service provider. Rather, the driver device 202 is generic to various carriers and/or service providers in a given wireless network. For example, the driver device 202 may be generally operable in all networks in France, but the internal components are not programmed to handle communications with one specific carrier and/or service provider. In one embodiment, the driver device 202 is built into the memory device 120 or, more specifically, into a read-only memory (ROM) portion of the memory device 120.

In one embodiment, communications from the provider's web server 206 to the driver device 202 are handled in a protocol that includes Hypertext Transfer Protocol (HTTP) over Transmission Control Protocol/Internet Protocol (TCP/IP).

5 Communications from the driver device 202 to the carrier are handled in a protocol that includes Hypertext Transfer Protocol (HTTP) over Compressed Transfer Protocol (CTP), or the carrier's own network protocol is used. Another embodiment handles communications with File Transfer Protocol (FTP) over TCP/IP. Other types of TCP/IP-based protocols may alternatively be used to communicate. The present invention is not limited to the specific protocols disclosed herein.

10 In an alternative embodiment, deactivation of the carrier and de-registration of the service provider can occur. A computer 100 is deactivated when the computer 100 is no longer enabled to communicate in the wireless network. A computer 100 is de-registered when the computer 100 no longer has an account with a service provider. Deactivation or de-registration can occur in at least the following two ways: some external process  
20 (outside of the computer 100) can be invoked to execute deactivation or de-registration; or the plug-in device 204 can be explicitly prompted to execute deactivation or de-registration.

To deactivate/de-register a computer 100, the driver device 202 searches through all plug-in devices 204 in the computer 100.

If no plug-in devices 204 are found, deactivation is complete because without a plug-in device, a computer 100 is not network activated. In searching for plug-in devices 204, the computer 100 determines which network plug-in device is responsible for deactivation. The driver device 202 launches the found plug-in with a deactivation code. Note that the deactivation code must be accompanied by appropriate parameters to denote the desired plug-in device for deactivation. If the plug-in device also contains the service provider's registration (or de-registration) set of codes, the driver device 202 must determine whether to launch the plug-in device 204 with a "de-register" code first. In one embodiment, the deactivation code is called by a registration file 208 that is in the process of deactivating a component of service.

#### Overview of Plug-in Device

The plug-in device 204 is hardware, software, or combination thereof, that allows the computer 100 to be compatible with a particular carrier and/or particular service provider. In a preferred embodiment, the plug-in device 204 is an interface between software (e.g., wireless browser application) and hardware (e.g., mobile radio device 140) in the computer 100.

The plug-in device 204 may be configured to assist in establishing activation and registration, by executing functions

such as the following: setting system features for the network activation upon resetting of the GARF 200; network activation/deactivation with a particular carrier and/or registration/de-registration with a particular service provider; maintenance of account identification for a particular carrier and/or particular service provider; and initiating appropriate user interfaces during error conditions.

In a preferred embodiment, the plug-in device has the following two primary purposes upon launch by the driver device 202: (1) activate the computer 100 on a wireless network; and (2) register the computer 100 with a service provider such as Palm.Net™, thereby allowing the computer 100 to utilize the service provider's wireless services. The purpose of the GARF 200 is to perform common procedures in the wireless network. The plug-in device 204 is the component of the GARF 200 that contains differences for a particular mobile radio device 140, a particular carrier, and a particular service provider, among other things. In one embodiment, the plug-in device 204 is an executable file that is easily installable into memory of the computer 100.

A plug-in device 204 is responsible for network activation and/or registration, setting system features, and updating the memory state of the computer 100 according to the network being activate. In one embodiment, the plug-in device 204 is tailored



for a particular carrier and particular service provider. BellSouth™ is an example of a carrier. Palm.net™ is an example of a service provider. The carrier and service provider, in turn, operate in a particular type of network. Mobitex™ is an example of a wireless packet data network. Other examples of a network include a cell phone network, a digital personal communications service (PCS) network, and a global system for mobile communications (GSM) network. Thus, the plug-in is further configured to be compatible with the network in which the particular carrier operates.

As a secondary function, the plug-in device 204 provides, error and warning code user interfaces, which are tailored to a particular verbal language (e.g., French, English, German, Spanish).

In another embodiment, the plug-in device 204 is designed to be compatible with multiple carriers and service providers in a given network. For example, the plug-in device 204 may be multiplexed to receive a call from the driver device 202, and the plug-in device 204 may then switch between different carriers, depending on the call. In still another embodiment, multiple, different plug-in devices 204 may be installed in the computer 100, for example, to allow the user to have a choice of various carriers and/or service providers. In yet another embodiment, a general plug-in device 204 is provided, for example, a plug-in

device compatible with an English language wireless network covering all of North America. Alternatively, a more specific plug-in device 204 may be installed to handle carriers and service providers, for example, in just the western United States.

Further, the different plug-in devices 204 may be configured to be compatible with each other. Regardless of the particular configuration of the plug-in devices 204, however, a plug-in device 204 is a component that can be readily redesigned after a computer 100 has been manufactured. Such flexibility of a plug-in device 204 is useful because hardware and software components, in a computer 100 may be entrenched within the computer's operating system (e.g., the ROM). Thus, the plug-in device 204 provides a component for the computer 100 that facilitates changing the computer's compatibility for different carriers and/or service providers.

Regarding commands that the driver device 202 sends to the plug-in device 204, a plug-in device 204 is preferably designed to handle certain predefined launch codes from the driver device 202. Table 1 below contains examples of launch codes that may be used in the Palm™ operating system.

PLUGIN_TYPE	Return a wireless network or service provider, or both to the caller-noting the type of plug-in
WN_RESET	Set any system features needed for network stack of device release
SP_RESET	Set any system features needed for service provider
CK_WN_ACTIVATE	Check system feature and memory values (when system features may not be correct) to determine (true or false) if the wireless network is active
WN_ACTIVATE	Configure a device so that it is able to effectively communicate on the network
WN_DEACTIVATE	Perform a wireless network deactivation
CK_SP_REGISTER	Check system features and database entries (when system features may not be correct) to determine (true or false) if the service provider has been registered with. If the service provider has not been successfully registered with, this call will return false, with an optional parameter of a URL. The URL can then be used by the driver to retrieve a registration file 208.
SP_DEACTIVATE	Remove any system features, database entries, or flash values utilized by the service provider to denote successful registration.
SP_COMPLETE	Perform any service-provider-centric flash/system feature/database entry activity that denotes the FINAL step of activation and registration
SP_FAIL	Perform any service-provider-specific cleanup activity that must be performed to return the state of the device to normal

Table 1. Examples Of Launch Codes That Driver Device 202 May Include In A Command Sent To Plug-In Device 204

## Overview of Auxiliary Screen Flow

In order to create and provision accounts with a given service provider, the service provider most-likely wants to collect data about the user. Such data may include name,  
5 address, account identifier, password, etc.

The auxiliary screen flow of the GARF 200 involves downloading and executing a registration file 208 from the provider's web server 206. A registration file 208 is preferably an executable file configured to be executed as-is on the computer 100. (In the Palm™ operating system, an executable file is commonly referred to as a "PRC".) The registration file 208 renders a set of dialogs (or "screens") to collect user registration data. The registration file has a calling convention and an expected set of results. The driver device 202 can then control procedures to set up the account for the user.

In other words, in order to collect user information for service provider registration, the driver device 202 has the ability to dynamically query (i.e., download) a server of the provider for the registration file 208. The registration file  
20 208 is preferably kept as minimal in size as possible so as not to unduly delay the user's experience. As an example, the plug-in device sends a uniform resource locator (URL), or address, to the driver device 202. The driver device 202 in turn sends a request to the provider's web server 206 to retrieve the

registration file 208 located at the URL. Once retrieved, the registration file 208 may be executed on the computer 100 to collect user registration data. In one embodiment, execution of the registration file 208 involves communicating directly with the web, without first going through the driver device 202.

The registration file 208 should be a temporary executable file configured to delete itself after its operations have been performed (i.e., after registration is complete). The registration file 208 should exit execution successfully (or with a failure error) directly to the driver device 202, so that any cleaning-up or processing by the computer 100 may resume. In other words, the registration file 208 should not leave the computer 100 in an unstable state. In one embodiment, the registration file 208 uses Compressed Transfer Protocol (CTP) calls. The registration file 208 may be configured to utilize error and warning user interfaces contained within the plug-in device 204. In a preferred embodiment, the registration file 208 is configured to utilize error and warning user interfaces contained within the registration file 208 itself.

The registration file 208 can be configured dynamically by the service provider. For example, if the service provider changes its rate plan, the registration file 208 can readily be changed to accommodate the new rate plan. The new rate plan can then be displayed to the user when the registration file 208 is

downloaded and executed on the computer 100. Note that the registration file 208 resides outside of computer 100 (at provider's web server 206, for example) before the registration file 208 is downloaded and executed by the driver device 202.

5

#### Overview of Provider's Web Server

In a preferred embodiment, the provider's web server 206 is accessible via a communication network. Examples of a communication network include a local area network (LAN), a wide area network (WAN), the global packet-switched network known as the "Internet" or the "World Wide Web" (web). The web server 206 provides the registration files 208 of the auxiliary screen flow, as well as any other logic to be used from within the executable file. In one example, the provider's web server 206 is accessible via the Internet through Palm™ Web Clipping Proxy Servers. HTTP is the proxiabile protocol handled by Web Clipping Proxy Servers.

As discussed above with reference to the auxiliary screen flow, the plug-in device 204 may return a URL to the driver device 202. The URL is then sent as a request to the provider's web server 206. That URL returns one static registration file 208 for the auxiliary screen flow. Accordingly, the service provider preferably carves some space from its file system

directory to store the screens for the execution of the registration file 208.

#### Process Overview

5           FIG. 4 shows a flowchart for a method of handling network activation between a computer and a carrier, in accordance with one embodiment of the present invention. The method starts in step 302 where a command is received to launch network activation procedures. For example, upon being launched, the driver device 202 sends a command to the plug-in device 204 to launch the plug-in device.

10           In step 304, a network activation status of the computer is then determined. This determination of network activation includes determining if the computer 100 is network enabled, as discussed above with reference to FIG. 3. For example, it may be determined if a valid single in-line memory module (SIMM) card is present in the computer 100. A SIMM card contains all the chips needed to make a computer operable in a particular network. SIMM cards, for instance, are used in certain European wireless  
15           networks to allow a computer to be compatible with a particular carrier or transport mechanism. A valid SIMM card means that the computer 100 is network enabled, and the method may then proceed. Without network enablement, an error message would be displayed to the user. Further, if the computer 100 was previously

configured using the current SIMM card, the computer 100 is considered to be network activated. Control is returned to the generic driver device 202, and the method would then be done. However, if the computer 100 needs to be configured with the  
5 current SIMM card, the method proceeds to step 306.

10  
15  
20  
25  
30  
35  
40  
45  
50  
55  
60  
65  
70  
75  
80  
85  
90  
95  
100  
105  
110  
115  
120  
125  
130  
135  
140  
145  
150  
155  
160  
165  
170  
175  
180  
185  
190  
195  
200  
205  
210  
215  
220  
225  
230  
235  
240  
245  
250  
255  
260  
265  
270  
275  
280  
285  
290  
295  
300  
305  
310  
315  
320  
325  
330  
335  
340  
345  
350  
355  
360  
365  
370  
375  
380  
385  
390  
395  
400  
405  
410  
415  
420  
425  
430  
435  
440  
445  
450  
455  
460  
465  
470  
475  
480  
485  
490  
495  
500  
505  
510  
515  
520  
525  
530  
535  
540  
545  
550  
555  
560  
565  
570  
575  
580  
585  
590  
595  
600  
605  
610  
615  
620  
625  
630  
635  
640  
645  
650  
655  
660  
665  
670  
675  
680  
685  
690  
695  
700  
705  
710  
715  
720  
725  
730  
735  
740  
745  
750  
755  
760  
765  
770  
775  
780  
785  
790  
795  
800  
805  
810  
815  
820  
825  
830  
835  
840  
845  
850  
855  
860  
865  
870  
875  
880  
885  
890  
895  
900  
905  
910  
915  
920  
925  
930  
935  
940  
945  
950  
955  
960  
965  
970  
975  
980  
985  
990  
995  
1000  
1005  
1010  
1015  
1020  
1025  
1030  
1035  
1040  
1045  
1050  
1055  
1060  
1065  
1070  
1075  
1080  
1085  
1090  
1095  
1100  
1105  
1110  
1115  
1120  
1125  
1130  
1135  
1140  
1145  
1150  
1155  
1160  
1165  
1170  
1175  
1180  
1185  
1190  
1195  
1200  
1205  
1210  
1215  
1220  
1225  
1230  
1235  
1240  
1245  
1250  
1255  
1260  
1265  
1270  
1275  
1280  
1285  
1290  
1295  
1300  
1305  
1310  
1315  
1320  
1325  
1330  
1335  
1340  
1345  
1350  
1355  
1360  
1365  
1370  
1375  
1380  
1385  
1390  
1395  
1400  
1405  
1410  
1415  
1420  
1425  
1430  
1435  
1440  
1445  
1450  
1455  
1460  
1465  
1470  
1475  
1480  
1485  
1490  
1495  
1500  
1505  
1510  
1515  
1520  
1525  
1530  
1535  
1540  
1545  
1550  
1555  
1560  
1565  
1570  
1575  
1580  
1585  
1590  
1595  
1600  
1605  
1610  
1615  
1620  
1625  
1630  
1635  
1640  
1645  
1650  
1655  
1660  
1665  
1670  
1675  
1680  
1685  
1690  
1695  
1700  
1705  
1710  
1715  
1720  
1725  
1730  
1735  
1740  
1745  
1750  
1755  
1760  
1765  
1770  
1775  
1780  
1785  
1790  
1795  
1800  
1805  
1810  
1815  
1820  
1825  
1830  
1835  
1840  
1845  
1850  
1855  
1860  
1865  
1870  
1875  
1880  
1885  
1890  
1895  
1900  
1905  
1910  
1915  
1920  
1925  
1930  
1935  
1940  
1945  
1950  
1955  
1960  
1965  
1970  
1975  
1980  
1985  
1990  
1995  
2000  
2005  
2010  
2015  
2020  
2025  
2030  
2035  
2040  
2045  
2050  
2055  
2060  
2065  
2070  
2075  
2080  
2085  
2090  
2095  
2100  
2105  
2110  
2115  
2120  
2125  
2130  
2135  
2140  
2145  
2150  
2155  
2160  
2165  
2170  
2175  
2180  
2185  
2190  
2195  
2200  
2205  
2210  
2215  
2220  
2225  
2230  
2235  
2240  
2245  
2250  
2255  
2260  
2265  
2270  
2275  
2280  
2285  
2290  
2295  
2300  
2305  
2310  
2315  
2320  
2325  
2330  
2335  
2340  
2345  
2350  
2355  
2360  
2365  
2370  
2375  
2380  
2385  
2390  
2395  
2400  
2405  
2410  
2415  
2420  
2425  
2430  
2435  
2440  
2445  
2450  
2455  
2460  
2465  
2470  
2475  
2480  
2485  
2490  
2495  
2500  
2505  
2510  
2515  
2520  
2525  
2530  
2535  
2540  
2545  
2550  
2555  
2560  
2565  
2570  
2575  
2580  
2585  
2590  
2595  
2600  
2605  
2610  
2615  
2620  
2625  
2630  
2635  
2640  
2645  
2650  
2655  
2660  
2665  
2670  
2675  
2680  
2685  
2690  
2695  
2700  
2705  
2710  
2715  
2720  
2725  
2730  
2735  
2740  
2745  
2750  
2755  
2760  
2765  
2770  
2775  
2780  
2785  
2790  
2795  
2800  
2805  
2810  
2815  
2820  
2825  
2830  
2835  
2840  
2845  
2850  
2855  
2860  
2865  
2870  
2875  
2880  
2885  
2890  
2895  
2900  
2905  
2910  
2915  
2920  
2925  
2930  
2935  
2940  
2945  
2950  
2955  
2960  
2965  
2970  
2975  
2980  
2985  
2990  
2995  
3000  
3005  
3010  
3015  
3020  
3025  
3030  
3035  
3040  
3045  
3050  
3055  
3060  
3065  
3070  
3075  
3080  
3085  
3090  
3095  
3100  
3105  
3110  
3115  
3120  
3125  
3130  
3135  
3140  
3145  
3150  
3155  
3160  
3165  
3170  
3175  
3180  
3185  
3190  
3195  
3200  
3205  
3210  
3215  
3220  
3225  
3230  
3235  
3240  
3245  
3250  
3255  
3260  
3265  
3270  
3275  
3280  
3285  
3290  
3295  
3300  
3305  
3310  
3315  
3320  
3325  
3330  
3335  
3340  
3345  
3350  
3355  
3360  
3365  
3370  
3375  
3380  
3385  
3390  
3395  
3400  
3405  
3410  
3415  
3420  
3425  
3430  
3435  
3440  
3445  
3450  
3455  
3460  
3465  
3470  
3475  
3480  
3485  
3490  
3495  
3500  
3505  
3510  
3515  
3520  
3525  
3530  
3535  
3540  
3545  
3550  
3555  
3560  
3565  
3570  
3575  
3580  
3585  
3590  
3595  
3600  
3605  
3610  
3615  
3620  
3625  
3630  
3635  
3640  
3645  
3650  
3655  
3660  
3665  
3670  
3675  
3680  
3685  
3690  
3695  
3700  
3705  
3710  
3715  
3720  
3725  
3730  
3735  
3740  
3745  
3750  
3755  
3760  
3765  
3770  
3775  
3780  
3785  
3790  
3795  
3800  
3805  
3810  
3815  
3820  
3825  
3830  
3835  
3840  
3845  
3850  
3855  
3860  
3865  
3870  
3875  
3880  
3885  
3890  
3895  
3900  
3905  
3910  
3915  
3920  
3925  
3930  
3935  
3940  
3945  
3950  
3955  
3960  
3965  
3970  
3975  
3980  
3985  
3990  
3995  
4000  
4005  
4010  
4015  
4020  
4025  
4030  
4035  
4040  
4045  
4050  
4055  
4060  
4065  
4070  
4075  
4080  
4085  
4090  
4095  
4100  
4105  
4110  
4115  
4120  
4125  
4130  
4135  
4140  
4145  
4150  
4155  
4160  
4165  
4170  
4175  
4180  
4185  
4190  
4195  
4200  
4205  
4210  
4215  
4220  
4225  
4230  
4235  
4240  
4245  
4250  
4255  
4260  
4265  
4270  
4275  
4280  
4285  
4290  
4295  
4300  
4305  
4310  
4315  
4320  
4325  
4330  
4335  
4340  
4345  
4350  
4355  
4360  
4365  
4370  
4375  
4380  
4385  
4390  
4395  
4400  
4405  
4410  
4415  
4420  
4425  
4430  
4435  
4440  
4445  
4450  
4455  
4460  
4465  
4470  
4475  
4480  
4485  
4490  
4495  
4500  
4505  
4510  
4515  
4520  
4525  
4530  
4535  
4540  
4545  
4550  
4555  
4560  
4565  
4570  
4575  
4580  
4585  
4590  
4595  
4600  
4605  
4610  
4615  
4620  
4625  
4630  
4635  
4640  
4645  
4650  
4655  
4660  
4665  
4670  
4675  
4680  
4685  
4690  
4695  
4700  
4705  
4710  
4715  
4720  
4725  
4730  
4735  
4740  
4745  
4750  
4755  
4760  
4765  
4770  
4775  
4780  
4785  
4790  
4795  
4800  
4805  
4810  
4815  
4820  
4825  
4830  
4835  
4840  
4845  
4850  
4855  
4860  
4865  
4870  
4875  
4880  
4885  
4890  
4895  
4900  
4905  
4910  
4915  
4920  
4925  
4930  
4935  
4940  
4945  
4950  
4955  
4960  
4965  
4970  
4975  
4980  
4985  
4990  
4995  
5000  
5005  
5010  
5015  
5020  
5025  
5030  
5035  
5040  
5045  
5050  
5055  
5060  
5065  
5070  
5075  
5080  
5085  
5090  
5095  
5100  
5105  
5110  
5115  
5120  
5125  
5130  
5135  
5140  
5145  
5150  
5155  
5160  
5165  
5170  
5175  
5180  
5185  
5190  
5195  
5200  
5205  
5210  
5215  
5220  
5225  
5230  
5235  
5240  
5245  
5250  
5255  
5260  
5265  
5270  
5275  
5280  
5285  
5290  
5295  
5300  
5305  
5310  
5315  
5320  
5325  
5330  
5335  
5340  
5345  
5350  
5355  
5360  
5365  
5370  
5375  
5380  
5385  
5390  
5395  
5400  
5405  
5410  
5415  
5420  
5425  
5430  
5435  
5440  
5445  
5450  
5455  
5460  
5465  
5470  
5475  
5480  
5485  
5490  
5495  
5500  
5505  
5510  
5515  
5520  
5525  
5530  
5535  
5540  
5545  
5550  
5555  
5560  
5565  
5570  
5575  
5580  
5585  
5590  
5595  
5600  
5605  
5610  
5615  
5620  
5625  
5630  
5635  
5640  
5645  
5650  
5655  
5660  
5665  
5670  
5675  
5680  
5685  
5690  
5695  
5700  
5705  
5710  
5715  
5720  
5725  
5730  
5735  
5740  
5745  
5750  
5755  
5760  
5765  
5770  
5775  
5780  
5785  
5790  
5795  
5800  
5805  
5810  
5815  
5820  
5825  
5830  
5835  
5840  
5845  
5850  
5855  
5860  
5865  
5870  
5875  
5880  
5885  
5890  
5895  
5900  
5905  
5910  
5915  
5920  
5925  
5930  
5935  
5940  
5945  
5950  
5955  
5960  
5965  
5970  
5975  
5980  
5985  
5990  
5995  
6000  
6005  
6010  
6015  
6020  
6025  
6030  
6035  
6040  
6045  
6050  
6055  
6060  
6065  
6070  
6075  
6080  
6085  
6090  
6095  
6100  
6105  
6110  
6115  
6120  
6125  
6130  
6135  
6140  
6145  
6150  
6155  
6160  
6165  
6170  
6175  
6180  
6185  
6190  
6195  
6200  
6205  
6210  
6215  
6220  
6225  
6230  
6235  
6240  
6245  
6250  
6255  
6260  
6265  
6270  
6275  
6280  
6285  
6290  
6295  
6300  
6305  
6310  
6315  
6320  
6325  
6330  
6335  
6340  
6345  
6350  
6355  
6360  
6365  
6370  
6375  
6380  
6385  
6390  
6395  
6400  
6405  
6410  
6415  
6420  
6425  
6430  
6435  
6440  
6445  
6450  
6455  
6460  
6465  
6470  
6475  
6480  
6485  
6490  
6495  
6500  
6505  
6510  
6515  
6520  
6525  
6530  
6535  
6540  
6545  
6550  
6555  
6560  
6565  
6570  
6575  
6580  
6585  
6590  
6595  
6600  
6605  
6610  
6615  
6620  
6625  
6630  
6635  
6640  
6645  
6650  
6655  
6660  
6665  
6670  
6675  
6680  
6685  
6690  
6695  
6700  
6705  
6710  
6715  
6720  
6725  
6730  
6735  
6740  
6745  
6750  
6755  
6760  
6765  
6770  
6775  
6780  
6785  
6790  
6795  
6800  
6805  
6810  
6815  
6820  
6825  
6830  
6835  
6840  
6845  
6850  
6855  
6860  
6865  
6870  
6875  
6880  
6885  
6890  
6895  
6900  
6905  
6910  
6915  
6920  
6925  
6930  
6935  
6940  
6945  
6950  
6955  
6960  
6965  
6970  
6975  
6980  
6985  
6990  
6995  
7000  
7005  
7010  
7015  
7020  
7025  
7030  
7035  
7040  
7045  
7050  
7055  
7060  
7065  
7070  
7075  
7080  
7085  
7090  
7095  
7100  
7105  
7110  
7115  
7120  
7125  
7130  
7135  
7140  
7145  
7150  
7155  
7160  
7165  
7170  
7175  
7180  
7185  
7190  
7195  
7200  
7205  
7210  
7215  
7220  
7225  
7230  
7235  
7240  
7245  
7250  
7255  
7260  
7265  
7270  
7275  
7280  
7285  
7290  
7295  
7300  
7305  
7310  
7315  
7320  
7325  
7330  
7335  
7340  
7345  
7350  
7355  
7360  
7365  
7370  
7375  
7380  
7385  
7390  
7395  
7400  
7405  
7410  
7415  
7420  
7425  
7430  
7435  
7440  
7445  
7450  
7455  
7460  
7465  
7470  
7475  
7480  
7485  
7490  
7495  
7500  
7505  
7510  
7515  
7520  
7525  
7530  
7535  
7540  
7545  
7550  
7555  
7560  
7565  
7570  
7575  
7580  
7585  
7590  
7595  
7600  
7605  
7610  
7615  
7620  
7625  
7630  
7635  
7640  
7645  
7650  
7655  
7660  
7665  
7670  
7675  
7680  
7685  
7690  
7695  
7700  
7705  
7710  
7715  
7720  
7725  
7730  
7735  
7740  
7745  
7750  
7755  
7760  
7765  
7770  
7775  
7780  
7785  
7790  
7795  
7800  
7805  
7810  
7815  
7820  
7825  
7830  
7835  
7840  
7845  
7850  
7855  
7860  
7865  
7870  
7875  
7880  
7885  
7890  
7895  
7900  
7905  
7910  
7915  
7920  
7925  
7930  
7935  
7940  
7945  
7950  
7955  
7960  
7965  
7970  
7975  
7980  
7985  
7990  
7995  
8000  
8005  
8010  
8015  
8020  
8025  
8030  
8035  
8040  
8045  
8050  
8055  
8060  
8065  
8070  
8075  
8080  
8085  
8090  
8095  
8100  
8105  
8110  
8115  
8120  
8125  
8130  
8135  
8140  
8145  
8150  
8155  
8160  
8165  
8170  
8175  
8180  
8185  
8190  
8195  
8200  
8205  
8210  
8215  
8220  
8225  
8230  
8235  
8240  
8245  
8250  
8255  
8260  
8265  
8270  
8275  
8280  
8285  
8290  
8295  
8300  
8305  
8310  
8315  
8320  
8325  
8330  
8335  
8340  
8345  
8350  
8355  
8360  
8365  
8370  
8375  
8380  
8385  
8390  
8395  
8400  
8405  
8410  
8415  
8420  
8425  
8430  
8435  
8440  
8445  
8450  
8455  
8460  
8465  
8470  
8475  
8480  
8485  
8490  
8495  
8500  
8505  
8510  
8515  
8520  
8525  
8530  
8535  
8540  
8545  
8550  
8555  
8560  
8565  
8570  
8575  
8580  
8585  
8590  
8595  
8600  
8605  
8610  
8615  
8620  
8625  
8630  
8635  
8640  
8645  
8650  
8655  
8660  
8665  
8670  
8675  
8680  
8685  
8690  
8695  
8700  
8705  
8710  
8715  
8720  
8725  
8730  
8735  
8740  
8745  
8750  
8755  
8760  
8765  
8770  
8775  
8780  
8785  
8790  
8795  
8800  
8805  
8810  
8815  
8820  
8825  
8830  
8835  
8840  
8845  
8850  
8855  
8860  
8865  
8870  
8875  
8880  
8885  
8890  
8895  
8900  
8905  
8910  
8915  
8920  
8925  
8930  
8935  
8940  
8945  
8950  
8955  
8960  
8965  
8970  
8975  
8980  
8985  
8990  
8995  
9000  
9005  
9010  
9015  
9020  
9025  
9030  
9035  
9040  
9045  
9050  
9055  
9060  
9065  
9070  
9075  
9080  
9085  
9090  
9095  
9100  
9105  
9110  
9115  
9120  
9125  
9130  
9135  
9140  
9145  
9150  
9155  
9160  
9165  
9170  
9175  
9180  
9185  
9190  
9195  
9200  
9205  
9210  
9215  
9220  
9225  
9230  
9235  
9240  
9245  
9250  
9255  
9260  
9265  
9270  
9275  
9280  
9285  
9290  
9295  
9300  
9305  
9310  
9315  
9320  
9325  
9330  
9335  
9340  
9345  
9350  
9355  
9360  
9365  
9370  
9375  
9380  
9385  
9390  
9395  
9400  
9405  
9410  
9415  
9420  
9425  
9430  
9435  
9440  
9445  
9450  
9455  
9460  
9465  
9470  
9475  
9480  
9485  
9490  
9495  
9500  
9505  
9510  
9515  
9520  
9525  
9530  
9535  
9540  
9545  
9550  
9555  
9560  
9565  
9570  
9575  
9580  
9585  
9590  
9595  
9600  
9605  
9610  
9615  
9620  
9625  
9630  
9635  
9640  
9645  
9650  
9655  
9660  
9665  
9670  
9675  
9680  
9685  
9690  
9695  
9700  
9705  
9710  
9715  
9720  
9725  
9730  
9735  
9740  
9745  
9750  
9755  
9760  
9765  
9770  
9775  
9780  
9785  
9790  
9795  
9800  
9805  
9810  
9815  
9820  
9825  
9830  
9835  
9840  
9845  
9850  
9855  
9860  
9865  
9870  
9875  
9880  
9885  
9890  
9895  
9900  
9905  
9910  
9915  
9920  
9925  
9930  
9935  
9940  
9945  
9950  
9955  
9960  
9965  
9970  
9975  
9980  
9985  
9990  
9995  
10000  
10005  
10010  
10015  
10020  
10025  
10030  
10035  
10040  
10045  
10050  
10055  
10060  
10065  
10070  
10075  
10080  
10085  
10090  
10095  
10100  
10105  
10110  
10115  
10120  
10125  
10130  
10135  
10140  
10145  
10150  
10155  
10160  
10165  
10170  
10175  
10180  
10185  
10190  
10195  
10200  
10205  
10210  
10215  
10220  
10225  
10230  
10235  
10240  
10245  
10250  
10255  
10260  
10265  
10270  
10275  
10280  
10285  
10290  
10295  
10300  
10305  
10310  
10315  
10320  
10325  
10330  
10335  
103



of the carrier. The plug-in device 304 may query this network device for an access number specific to the carrier. Each carrier communicates with the plug-in device 204 in a protocol specific to the carrier. In the Mobitex™ network, for instance, a 24-bit Mobitex™ access number (MAN) is used to establish that a computer 100 has access to the services of Mobitex™. The plug-in device 204 and the network device of Mobitex™ communicate using the Mobitex™ protocol. The requested information is received, in step 308, from the particular device that is called.

In step 310, the computer is configured with the network activation information in order to establish network activation, with the carrier. In one example, the plug-in device 204 may take network activation information received from a SIMM card and configure the computer 100 accordingly. Such configuration operations may involve updating the memory of the computer 100 to include carrier specific information. In another example, the plug-in device 204 may take the carrier's access number received from the carrier and configure the computer 100 accordingly.

In one embodiment, the method steps of FIG. 4 are handled by the plug-in device 204. As discussed above with reference to FIG. 3, the plug-in device 204 is an interface between hardware and software in the computer 100 and allows the computer 100 to be compatible with a particular carrier. The following tables include high-level pseudo-code for procedures that may be managed

by the plug-in device 204. These procedures may be implemented in a computer 100 using common programming techniques, including the use of programming languages such as C, C++, Pascal, Java, assembly language, etc.

5

```

If (valid SIM card exists in unit)
{
    if (unit previously network activated &&| current SIM card
== last
activated SIM card)
    {
        return success to generic application
    }
    else
    {
        Configure unit with current SIM card information
        Display message to user about successful network
activation
        Return success to generic application
    }
}
else
{
    Display message to user about no valid SIM card in unit.
    Return failure to generic application
}

```

Table 2. Example Of High-level Pseudo-code For Procedures Managed By A Plug-In Device 204 In A European Wireless Network For A Palm™ Computer

10 092206-0204 105020-99022460

```

If (unit in GMAN* state)
{
    Ask user for activation security key
    if (security key is valid)
    {
        request UMAN* from Bell South
        if (retrieve UMAN successfully)
        {
            configure unit with UMAN
            return success to generic application
        }
        else
        {
            Display error message to user
            Allow option to user to try again or exit with
failure to generic
Application
        }
    }
    else
    {
        Allow user to try again or exit to application with
failure
    }
}
else
{
    return success to generic application
}

*GMAN = generic MAN (AGW MAN only)
*UMAN = non-generic MAN (one that works on the network without
being contained
to AGW)

```

Table 3. Example Of High-level Pseudo-code For Procedures Managed By A Plug-In Device 204 In A Mobitex™ Wireless Network For A Palm™ Computer

### System And Method Implementation

Portions of the present invention may be conveniently implemented using a conventional general purpose or a specialized digital computer or microprocessor programmed according to the teachings of the present disclosure, as will be apparent to those skilled in the computer art.

Appropriate software coding can readily be prepared by skilled programmers based on the teachings of the present disclosure, as will be apparent to those skilled in the software art. The invention may also be implemented by the preparation of application specific integrated circuits or by interconnecting an appropriate network of conventional component circuits, as will be readily apparent to those skilled in the art.

The present invention includes a computer program product which is a storage medium (media) having instructions stored thereon/in which can be used to control, or cause, a computer to perform any of the processes of the present invention. The storage medium can include, but is not limited to, any type of disk including floppy disks, mini disks (MD's), optical discs, DVD, CD-ROMs, micro-drive, and magneto-optical disks, ROMs, RAMs, EPROMs, EEPROMs, DRAMs, VRAMs, flash memory devices (including flash cards), magnetic or optical cards, nanosystems (including molecular memory ICs), RAID devices, remote data storage/archive/warehousing, or any type of media or device suitable for storing instructions and/or data.

Stored on any one of the computer readable medium (media), the present invention includes software for controlling both the hardware of the general purpose/specialized computer or microprocessor, and for enabling the computer or microprocessor to interact with a human user or other mechanism utilizing the results of the present invention. Such software may include, but

is not limited to, device drivers, operating systems, and user applications. Ultimately, such computer readable media further includes software for performing the present invention, as described above.

5        Included in the programming (software) of the general/specialized computer or microprocessor are software modules for implementing the teachings of the present invention, including, but not limited to, determining a network activation status, sending a request to a device having network activation information, and configuring the computer 100 with network activation information, according to processes of the present invention.

10  
15  
20  
25  
30  
35  
40  
45  
50  
55  
60  
65  
70  
75  
80  
85  
90  
95  
100  
105  
110  
115  
120  
125  
130  
135  
140  
145  
150  
155  
160  
165  
170  
175  
180  
185  
190  
195  
200  
205  
210  
215  
220  
225  
230  
235  
240  
245  
250  
255  
260  
265  
270  
275  
280  
285  
290  
295  
300  
305  
310  
315  
320  
325  
330  
335  
340  
345  
350  
355  
360  
365  
370  
375  
380  
385  
390  
395  
400  
405  
410  
415  
420  
425  
430  
435  
440  
445  
450  
455  
460  
465  
470  
475  
480  
485  
490  
495  
500  
505  
510  
515  
520  
525  
530  
535  
540  
545  
550  
555  
560  
565  
570  
575  
580  
585  
590  
595  
600  
605  
610  
615  
620  
625  
630  
635  
640  
645  
650  
655  
660  
665  
670  
675  
680  
685  
690  
695  
700  
705  
710  
715  
720  
725  
730  
735  
740  
745  
750  
755  
760  
765  
770  
775  
780  
785  
790  
795  
800  
805  
810  
815  
820  
825  
830  
835  
840  
845  
850  
855  
860  
865  
870  
875  
880  
885  
890  
895  
900  
905  
910  
915  
920  
925  
930  
935  
940  
945  
950  
955  
960  
965  
970  
975  
980  
985  
990  
995  
1000  
1005  
1010  
1015  
1020  
1025  
1030  
1035  
1040  
1045  
1050  
1055  
1060  
1065  
1070  
1075  
1080  
1085  
1090  
1095  
1100  
1105  
1110  
1115  
1120  
1125  
1130  
1135  
1140  
1145  
1150  
1155  
1160  
1165  
1170  
1175  
1180  
1185  
1190  
1195  
1200  
1205  
1210  
1215  
1220  
1225  
1230  
1235  
1240  
1245  
1250  
1255  
1260  
1265  
1270  
1275  
1280  
1285  
1290  
1295  
1300  
1305  
1310  
1315  
1320  
1325  
1330  
1335  
1340  
1345  
1350  
1355  
1360  
1365  
1370  
1375  
1380  
1385  
1390  
1395  
1400  
1405  
1410  
1415  
1420  
1425  
1430  
1435  
1440  
1445  
1450  
1455  
1460  
1465  
1470  
1475  
1480  
1485  
1490  
1495  
1500  
1505  
1510  
1515  
1520  
1525  
1530  
1535  
1540  
1545  
1550  
1555  
1560  
1565  
1570  
1575  
1580  
1585  
1590  
1595  
1600  
1605  
1610  
1615  
1620  
1625  
1630  
1635  
1640  
1645  
1650  
1655  
1660  
1665  
1670  
1675  
1680  
1685  
1690  
1695  
1700  
1705  
1710  
1715  
1720  
1725  
1730  
1735  
1740  
1745  
1750  
1755  
1760  
1765  
1770  
1775  
1780  
1785  
1790  
1795  
1800  
1805  
1810  
1815  
1820  
1825  
1830  
1835  
1840  
1845  
1850  
1855  
1860  
1865  
1870  
1875  
1880  
1885  
1890  
1895  
1900  
1905  
1910  
1915  
1920  
1925  
1930  
1935  
1940  
1945  
1950  
1955  
1960  
1965  
1970  
1975  
1980  
1985  
1990  
1995  
2000  
2005  
2010  
2015  
2020  
2025  
2030  
2035  
2040  
2045  
2050  
2055  
2060  
2065  
2070  
2075  
2080  
2085  
2090  
2095  
2100  
2105  
2110  
2115  
2120  
2125  
2130  
2135  
2140  
2145  
2150  
2155  
2160  
2165  
2170  
2175  
2180  
2185  
2190  
2195  
2200  
2205  
2210  
2215  
2220  
2225  
2230  
2235  
2240  
2245  
2250  
2255  
2260  
2265  
2270  
2275  
2280  
2285  
2290  
2295  
2300  
2305  
2310  
2315  
2320  
2325  
2330  
2335  
2340  
2345  
2350  
2355  
2360  
2365  
2370  
2375  
2380  
2385  
2390  
2395  
2400  
2405  
2410  
2415  
2420  
2425  
2430  
2435  
2440  
2445  
2450  
2455  
2460  
2465  
2470  
2475  
2480  
2485  
2490  
2495  
2500  
2505  
2510  
2515  
2520  
2525  
2530  
2535  
2540  
2545  
2550  
2555  
2560  
2565  
2570  
2575  
2580  
2585  
2590  
2595  
2600  
2605  
2610  
2615  
2620  
2625  
2630  
2635  
2640  
2645  
2650  
2655  
2660  
2665  
2670  
2675  
2680  
2685  
2690  
2695  
2700  
2705  
2710  
2715  
2720  
2725  
2730  
2735  
2740  
2745  
2750  
2755  
2760  
2765  
2770  
2775  
2780  
2785  
2790  
2795  
2800  
2805  
2810  
2815  
2820  
2825  
2830  
2835  
2840  
2845  
2850  
2855  
2860  
2865  
2870  
2875  
2880  
2885  
2890  
2895  
2900  
2905  
2910  
2915  
2920  
2925  
2930  
2935  
2940  
2945  
2950  
2955  
2960  
2965  
2970  
2975  
2980  
2985  
2990  
2995  
3000  
3005  
3010  
3015  
3020  
3025  
3030  
3035  
3040  
3045  
3050  
3055  
3060  
3065  
3070  
3075  
3080  
3085  
3090  
3095  
3100  
3105  
3110  
3115  
3120  
3125  
3130  
3135  
3140  
3145  
3150  
3155  
3160  
3165  
3170  
3175  
3180  
3185  
3190  
3195  
3200  
3205  
3210  
3215  
3220  
3225  
3230  
3235  
3240  
3245  
3250  
3255  
3260  
3265  
3270  
3275  
3280  
3285  
3290  
3295  
3300  
3305  
3310  
3315  
3320  
3325  
3330  
3335  
3340  
3345  
3350  
3355  
3360  
3365  
3370  
3375  
3380  
3385  
3390  
3395  
3400  
3405  
3410  
3415  
3420  
3425  
3430  
3435  
3440  
3445  
3450  
3455  
3460  
3465  
3470  
3475  
3480  
3485  
3490  
3495  
3500  
3505  
3510  
3515  
3520  
3525  
3530  
3535  
3540  
3545  
3550  
3555  
3560  
3565  
3570  
3575  
3580  
3585  
3590  
3595  
3600  
3605  
3610  
3615  
3620  
3625  
3630  
3635  
3640  
3645  
3650  
3655  
3660  
3665  
3670  
3675  
3680  
3685  
3690  
3695  
3700  
3705  
3710  
3715  
3720  
3725  
3730  
3735  
3740  
3745  
3750  
3755  
3760  
3765  
3770  
3775  
3780  
3785  
3790  
3795  
3800  
3805  
3810  
3815  
3820  
3825  
3830  
3835  
3840  
3845  
3850  
3855  
3860  
3865  
3870  
3875  
3880  
3885  
3890  
3895  
3900  
3905  
3910  
3915  
3920  
3925  
3930  
3935  
3940  
3945  
3950  
3955  
3960  
3965  
3970  
3975  
3980  
3985  
3990  
3995  
4000  
4005  
4010  
4015  
4020  
4025  
4030  
4035  
4040  
4045  
4050  
4055  
4060  
4065  
4070  
4075  
4080  
4085  
4090  
4095  
4100  
4105  
4110  
4115  
4120  
4125  
4130  
4135  
4140  
4145  
4150  
4155  
4160  
4165  
4170  
4175  
4180  
4185  
4190  
4195  
4200  
4205  
4210  
4215  
4220  
4225  
4230  
4235  
4240  
4245  
4250  
4255  
4260  
4265  
4270  
4275  
4280  
4285  
4290  
4295  
4300  
4305  
4310  
4315  
4320  
4325  
4330  
4335  
4340  
4345  
4350  
4355  
4360  
4365  
4370  
4375  
4380  
4385  
4390  
4395  
4400  
4405  
4410  
4415  
4420  
4425  
4430  
4435  
4440  
4445  
4450  
4455  
4460  
4465  
4470  
4475  
4480  
4485  
4490  
4495  
4500  
4505  
4510  
4515  
4520  
4525  
4530  
4535  
4540  
4545  
4550  
4555  
4560  
4565  
4570  
4575  
4580  
4585  
4590  
4595  
4600  
4605  
4610  
4615  
4620  
4625  
4630  
4635  
4640  
4645  
4650  
4655  
4660  
4665  
4670  
4675  
4680  
4685  
4690  
4695  
4700  
4705  
4710  
4715  
4720  
4725  
4730  
4735  
4740  
4745  
4750  
4755  
4760  
4765  
4770  
4775  
4780  
4785  
4790  
4795  
4800  
4805  
4810  
4815  
4820  
4825  
4830  
4835  
4840  
4845  
4850  
4855  
4860  
4865  
4870  
4875  
4880  
4885  
4890  
4895  
4900  
4905  
4910  
4915  
4920  
4925  
4930  
4935  
4940  
4945  
4950  
4955  
4960  
4965  
4970  
4975  
4980  
4985  
4990  
4995  
5000  
5005  
5010  
5015  
5020  
5025  
5030  
5035  
5040  
5045  
5050  
5055  
5060  
5065  
5070  
5075  
5080  
5085  
5090  
5095  
5100  
5105  
5110  
5115  
5120  
5125  
5130  
5135  
5140  
5145  
5150  
5155  
5160  
5165  
5170  
5175  
5180  
5185  
5190  
5195  
5200  
5205  
5210  
5215  
5220  
5225  
5230  
5235  
5240  
5245  
5250  
5255  
5260  
5265  
5270  
5275  
5280  
5285  
5290  
5295  
5300  
5305  
5310  
5315  
5320  
5325  
5330  
5335  
5340  
5345  
5350  
5355  
5360  
5365  
5370  
5375  
5380  
5385  
5390  
5395  
5400  
5405  
5410  
5415  
5420  
5425  
5430  
5435  
5440  
5445  
5450  
5455  
5460  
5465  
5470  
5475  
5480  
5485  
5490  
5495  
5500  
5505  
5510  
5515  
5520  
5525  
5530  
5535  
5540  
5545  
5550  
5555  
5560  
5565  
5570  
5575  
5580  
5585  
5590  
5595  
5600  
5605  
5610  
5615  
5620  
5625  
5630  
5635  
5640  
5645  
5650  
5655  
5660  
5665  
5670  
5675  
5680  
5685  
5690  
5695  
5700  
5705  
5710  
5715  
5720  
5725  
5730  
5735  
5740  
5745  
5750  
5755  
5760  
5765  
5770  
5775  
5780  
5785  
5790  
5795  
5800  
5805  
5810  
5815  
5820  
5825  
5830  
5835  
5840  
5845  
5850  
5855  
5860  
5865  
5870  
5875  
5880  
5885  
5890  
5895  
5900  
5905  
5910  
5915  
5920  
5925  
5930  
5935  
5940  
5945  
5950  
5955  
5960  
5965  
5970  
5975  
5980  
5985  
5990  
5995  
6000  
6005  
6010  
6015  
6020  
6025  
6030  
6035  
6040  
6045  
6050  
6055  
6060  
6065  
6070  
6075  
6080  
6085  
6090  
6095  
6100  
6105  
6110  
6115  
6120  
6125  
6130  
6135  
6140  
6145  
6150  
6155  
6160  
6165  
6170  
6175  
6180  
6185  
6190  
6195  
6200  
6205  
6210  
6215  
6220  
6225  
6230  
6235  
6240  
6245  
6250  
6255  
6260  
6265  
6270  
6275  
6280  
6285  
6290  
6295  
6300  
6305  
6310  
6315  
6320  
6325  
6330  
6335  
6340  
6345  
6350  
6355  
6360  
6365  
6370  
6375  
6380  
6385  
6390  
6395  
6400  
6405  
6410  
6415  
6420  
6425  
6430  
6435  
6440  
6445  
6450  
6455  
6460  
6465  
6470  
6475  
6480  
6485  
6490  
6495  
6500  
6505  
6510  
6515  
6520  
6525  
6530  
6535  
6540  
6545  
6550  
6555  
6560  
6565  
6570  
6575  
6580  
6585  
6590  
6595  
6600  
6605  
6610  
6615  
6620  
6625  
6630  
6635  
6640  
6645  
6650  
6655  
6660  
6665  
6670  
6675  
6680  
6685  
6690  
6695  
6700  
6705  
6710  
6715  
6720  
6725  
6730  
6735  
6740  
6745  
6750  
6755  
6760  
6765  
6770  
6775  
6780  
6785  
6790  
6795  
6800  
6805  
6810  
6815  
6820  
6825  
6830  
6835  
6840  
6845  
6850  
6855  
6860  
6865  
6870  
6875  
6880  
6885  
6890  
6895  
6900  
6905  
6910  
6915  
6920  
6925  
6930  
6935  
6940  
6945  
6950  
6955  
6960  
6965  
6970  
6975  
6980  
6985  
6990  
6995  
7000  
7005  
7010  
7015  
7020  
7025  
7030  
7035  
7040  
7045  
7050  
7055  
7060  
7065  
7070  
7075  
7080  
7085  
7090  
7095  
7100  
7105  
7110  
7115  
7120  
7125  
7130  
7135  
7140  
7145  
7150  
7155  
7160  
7165  
7170  
7175  
7180  
7185  
7190  
7195  
7200  
7205  
7210  
7215  
7220  
7225  
7230  
7235  
7240  
7245  
7250  
7255  
7260  
7265  
7270  
7275  
7280  
7285  
7290  
7295  
7300  
7305  
7310  
7315  
7320  
7325  
7330  
7335  
7340  
7345  
7350  
7355  
7360  
7365  
7370  
7375  
7380  
7385  
7390  
7395  
7400  
7405  
7410  
7415  
7420  
7425  
7430  
7435  
7440  
7445  
7450  
7455  
7460  
7465  
7470  
7475  
7480  
7485  
7490  
7495  
7500  
7505  
7510  
7515  
7520  
7525  
7530  
7535  
7540  
7545  
7550  
7555  
7560  
7565  
7570  
7575  
7580  
7585  
7590  
7595  
7600  
7605  
7610  
7615  
7620  
7625  
7630  
7635  
7640  
7645  
7650  
7655  
7660  
7665  
7670  
7675  
7680  
7685  
7690  
7695  
7700  
7705  
7710  
7715  
7720  
7725  
7730  
7735  
7740  
7745  
7750  
7755  
7760  
7765  
7770  
7775  
7780  
7785  
7790  
7795  
7800  
7805  
7810  
7815  
7820  
7825  
7830  
7835  
7840  
7845  
7850  
7855  
7860  
7865  
7870  
7875  
7880  
7885  
7890  
7895  
7900  
7905  
7910  
7915  
7920  
7925  
7930  
7935  
7940  
7945  
7950  
7955  
7960  
7965  
7970  
7975  
7980  
7985  
7990  
7995  
8000  
8005  
8010  
8015  
8020  
8025  
8030  
8035  
8040  
8045  
8050  
8055  
8060  
8065  
8070  
8075  
8080  
8085  
8090  
8095  
8100  
8105  
8110  
8115  
8120  
8125  
8130  
8135  
8140  
8145  
8150  
8155  
8160  
8165  
8170  
8175  
8180  
8185  
8190  
8195  
8200  
8205  
8210  
8215  
8220  
8225  
8230  
8235  
8240  
8245  
8250  
8255  
8260  
8265  
8270  
8275  
8280  
8285  
8290  
8295  
8300  
8305  
8310  
8315  
8320  
8325  
8330  
8335  
8340  
8345  
8350  
8355  
8360  
8365  
8370  
8375  
8380  
8385  
8390  
8395  
8400  
8405  
8410  
8415  
8420  
8425  
8430  
8435  
8440  
8445  
8450  
8455  
8460  
8465  
8470  
8475  
8480  
8485  
8490  
8495  
8500  
8505  
8510  
8515  
8520  
8525  
8530  
8535  
8540  
8545  
8550  
8555  
8560  
8565  
8570  
8575  
8580  
8585  
8590  
8595  
8600  
8605  
8610  
8615  
8620  
8625  
8630  
8635  
8640  
8645  
8650  
8655  
8660  
8665  
8670  
8675  
8680  
8685  
8690  
8695  
8700  
8705  
8710  
8715  
8720  
8725  
8730  
8735  
8740  
8745  
8750  
8755  
8760  
8765  
8770  
8775  
8780  
8785  
8790  
8795  
8800  
8805  
8810  
8815  
8820  
8825  
8830  
8835  
8840  
8845  
8850  
8855  
8860  
8865  
8870  
8875  
8880  
8885  
8890  
8895  
8900  
8905  
8910  
8915  
8920  
8925  
8930  
8935  
8940  
8945  
8950  
8955  
8960  
8965  
8970  
8975  
8980  
8985  
8990  
8995  
9000  
9005  
9010  
9015  
9020  
9025  
9030  
9035  
9040  
9045  
9050  
9055  
9060  
9065  
9070  
9075  
9080  
9085  
9090  
9095  
9100  
9105  
9110  
9115  
9120  
9125  
9130  
9135  
9140  
9145  
9150  
9155  
9160  
9165  
9170  
9175  
9180  
9185  
9190  
9195  
9200  
9205  
9210  
9215  
9220  
9225  
9230  
9235  
9240  
9245  
9250  
9255  
9260  
9265  
9270  
9275  
9280  
9285  
9290  
9295  
9300  
9305  
9310  
9315  
9320  
9325  
9330  
9335  
9340  
9345  
9350  
9355  
9360  
9365  
9370  
9375  
9380  
9385  
9390  
9395  
9400  
9405  
9410  
9415  
9420  
9425  
9430  
9435  
9440  
9445  
9450  
9455  
9460  
9465  
9470  
9475  
9480  
9485  
9490  
9495  
9500  
9505  
9510  
9515  
9520  
9525  
9530  
9535  
9540  
9545  
9550  
9555  
9560  
9565  
9570  
9575  
9580  
9585  
9590  
9595  
9600  
9605  
9610  
9615  
9620  
9625  
9630  
9635  
9640  
9645  
9650  
9655  
9660  
9665  
9670  
9675  
9680  
9685  
9690  
9695  
9700  
9705  
9710  
9715  
9720  
9725  
9730  
9735  
9740  
9745  
9750  
9755  
9760  
9765  
9770  
9775  
9780  
9785  
9790  
9795  
9800  
9805  
9810  
9815  
9820  
9825  
9830  
9835  
9840  
9845  
9850  
9855  
9860  
9865  
9870  
9875  
9880  
9885  
9890  
9895  
9900  
9905  
9910  
9915  
9920  
9925  
9930  
9935  
9940  
9945  
9950  
9955  
9960  
9965  
9970  
9975  
9980  
9985  
9990  
9995  
10000  
10005  
10010  
10015  
10020  
10025  
10030  
10035  
10040  
10045  
10050  
10055  
10060  
10065  
10070  
10075  
10080  
10085  
10090  
10095  
10100  
10105  
10110  
10115  
10120  
10125  
10130  
10135  
10140  
10145  
10150  
10155  
10160  
10165  
10170  
10175  
10180  
10185  
10190  
10195  
10200  
10205  
10210  
10215  
10220  
10225  
10230  
10235  
10240  
10245  
10250  
10255  
10260  
10265  
10270  
10275  
10280  
10285  
102

## CLAIMS

*What Is Claimed Is:*

1. A method of handling network activation between a computer  
5 and a carrier, the method comprising:

receiving a command to initiate network activation  
procedures;

determining a network activation status of the computer;

10 sending a request to a device having network activation  
information;

receiving the network activation information from the  
device; and

15 configuring the computer with the network activation  
information in order to establish network activation  
with the transport mechanism.

2. The method of Claim 1, wherein the received command includes  
a launch code to initiate a particular network activation  
procedure.

- 20 3. The method of Claim 1, wherein the device having network  
activation information is a single in-line memory module  
(SIMM) card configured to be compatible with the carrier.

4. The method of Claim 1, wherein the step of determining a network activation status comprises determining if the computer has a current single in-line memory module (SIMM) card that is compatible with the carrier.

5. The method of Claim 4, wherein the step of determining a network activation status further comprises:

determining if the computer was previously network activated with a previous single in-line memory module (SIMM) card; and

determining if the previous SIMM card is the current SIMM card.

6. The method of Claim 1, wherein the step of determining a network activation status comprises:

receiving an activation security key from a user of the computer; and

determining if the activation security key is valid for the carrier.

7. The method of Claim 1, wherein the device having the network activation information is a server of the carrier.

8. The method of Claim 7, wherein the steps of sending and receiving are carried out in a protocol specific to the carrier.

9. The method of Claim 7, wherein the network activation information that is received includes an access number that allows the computer to access network services of the carrier.

10. The method of Claim 1, wherein the step of configuring the computer comprises storing an access number that allows the computer to access network services of the carrier.

11. A plug-in device configured to be operable in a generic activation framework, the plug-in device comprising:

an application program interface (API) tailored to a particular carrier, wherein the API is configured to receive a network activation command from a generic driver device in a computer.



12. The plug-in device of Claim 11, wherein the plug-in device is an application configured to be initiated in a personal digital assistant.

5

13. The plug-in device of Claim 11, further comprising a user interface configured to query a user for an activation security key to access services of a carrier.

10  
15  
20  
25  
30  
35  
40  
45  
50  
55  
60  
65  
70  
75  
80  
85  
90  
95  
100  
105  
110  
115  
120  
125  
130  
135  
140  
145  
150  
155  
160  
165  
170  
175  
180  
185  
190  
195  
200  
205  
210  
215  
220  
225  
230  
235  
240  
245  
250  
255  
260  
265  
270  
275  
280  
285  
290  
295  
300  
305  
310  
315  
320  
325  
330  
335  
340  
345  
350  
355  
360  
365  
370  
375  
380  
385  
390  
395  
400  
405  
410  
415  
420  
425  
430  
435  
440  
445  
450  
455  
460  
465  
470  
475  
480  
485  
490  
495  
500  
505  
510  
515  
520  
525  
530  
535  
540  
545  
550  
555  
560  
565  
570  
575  
580  
585  
590  
595  
600  
605  
610  
615  
620  
625  
630  
635  
640  
645  
650  
655  
660  
665  
670  
675  
680  
685  
690  
695  
700  
705  
710  
715  
720  
725  
730  
735  
740  
745  
750  
755  
760  
765  
770  
775  
780  
785  
790  
795  
800  
805  
810  
815  
820  
825  
830  
835  
840  
845  
850  
855  
860  
865  
870  
875  
880  
885  
890  
895  
900  
905  
910  
915  
920  
925  
930  
935  
940  
945  
950  
955  
960  
965  
970  
975  
980  
985  
990  
995  
1000

14. The plug-in device of Claim 11, wherein upon receiving a particular network activation command from the generic driver device, the application program interface (API) is configured to cause the plug-in device to determine a network activation status of the computer.

15. A computer-readable medium carrying one or more sequences of one or more instructions for handling a network activation between a computer and a carrier, the one or more sequences of one or more instructions including instructions which, when executed by one or more processors, cause the one or more processors to perform the steps of:

receiving a command to launch network activation procedures;  
determining a network activation status of the computer;

sending a request to a device having network activation information;

receiving the network activation information from the device; and

5        configuring the computer with the network activation information in order to establish network activation with the carrier.

16. The computer-readable medium of Claim 15, wherein the received command includes a launch code to initiate a predefined network activation routine.

17. The computer-readable medium of Claim 15, wherein the device having network activation information is a single in-line memory module (SIMM) card configured to be compatible with the carrier.

18. The computer-readable medium of Claim 15, wherein the step of determining a network activation status further causes  
20        the processor to carry out the step of determining if the computer has a current single in-line memory module (SIMM) card that is compatible with the carrier.

19. The computer-readable medium of Claim 18, wherein the step of determining a network activation status furthermore causes the processor to carry out the steps of:

determining if the computer was previously network activated  
5 with a previous single in-line memory module (SIMM)  
card; and

determining if the previous SIMM card is the current SIMM  
card.

20. The computer-readable medium of Claim 15, wherein the step of determining a network activation status further causes the processor to carry out the steps of:

receiving an activation security key from a user of the  
computer; and

determining if the activation security key is valid for the  
carrier.

21. The computer-readable medium of Claim 15, wherein the device having the network activation information is a server of the  
20 carrier.

22. The computer-readable medium of Claim 15, wherein the steps of sending and receiving are carried out in a protocol specific to the carrier.

5 23. The computer-readable medium of Claim 21, wherein the network activation information that is received includes an access number that allows the computer to access network services of the carrier.

24. The computer-readable medium of Claim 15, wherein the step of configuring the computer further causes the processor to carry out the step of storing an access number that allows the computer to access network services of the carrier.

105056-030504

**USER INTERFACE TECHNIQUE FOR SELECTION AND ACTIVATION OF  
WIRELESS SERVICES FROM AMONG MULTIPLE TRANSPORT CARRIERS**

**ABSTRACT**

5

A method and device are provided for handling network activation between a computer and a carrier. In one example, the method involves receiving a command to initiate network activation procedures. The network activation status of the computer is then determined. If the computer is network enabled, a request is sent to a device having network activation information. The network activation information is received from the device. The computer is then configured with the network activation information in order to establish network activation with the carrier.

0973066260  
15  
F05020

12233387.1